` , IN	THE LUCED S	STATES PA	TENT AND	TRADEMAR	FFICE		PATENT
In. ré: PATENT APPLICA Invertor(s): BECKER Appln. No.: 09			Group Art Examiner: Atty. Dkt.	Unit 1762 K. Bare P 265122	ford	C1517US	APPLICATION
Series Code		· ↑		M#		Client Ref	
Filed: January 27, 2000 Title: METHOD AND DE CONTROLLING TI COATING (AS AM	HICKNESS DUR	ING SPIN	R RCE E	DO NOT USE DIVISIONAL APPLICATION PATENTS	, CIP OR I	OVISIONAL, DESIGN	
Hon. Commissioner of Pate Washington, D.C. 20231	ents (FB)	9 2000		Date:	Febru	ary 19, 20	CEIVE 2 4 2003
Sir:						~~~	9 - 1
REQUE	ST FOR CONT	CINUED EX	XAMINAT	ION (RCE) UI	NDER RU	LE 11A	4 2002 P
Please continue the	examination of	this applica	tion.			7	>00°
			EQUISITE				
This application wa filed, it has been ten	is <u>filed on/after</u> . rminated.	June 8, 1995	, is not abar	idoned, and no	court actio	n has been fi	led, or if
An issue fee has no	ot been paid (un	less a petitic	n under Rul	e 313(c)(2) is a	lso being i	filed see ite	m 4 below).
Prosecution has be							
Reply to any outsta				ously filed.			
This application is entitled a action by the Examiner. Con evidence, but not appeal/rep Please consider the following	nsideration on the bly briefs themse	le merits of delives) filed h	each submis erewith is re	sion (e.g. IDS	Amendme	allowance pent, new argu	lus a new ments, new
- Additional and Tollows	ng before the ne	At Official F	Action:				
 The enclosed new And Consider the argume The issue fee has been as the consider the argume 	ents in the appearent paid, but this	l brief filed . RCE is base	nendment fil and red on Rule 3	enly brief filed	·	cition.	
interior in in interior in	ation Disclosure IDS Letter PTO-1449	Statement	ed Appln	□F	oreign Sea	rch Report/O	'A
6. Please suspend action	n under Rule 10	3(c) for a pe	riod of	months (3 m	ited Docum os. Max) f	or which char	rge the
7. Petition is hereby made to cover the date this Request Deposit Account (see below	e code 098) to o extend the origina is filed. PLEAS w)	ur Deposit A al due date of E CHARGE	Account (see f January 17, the requisite	below). 2003 to fee to our	(1 mo) (2 mos) (3 mos)	\$110/\$55	+ 55
PLEASE CHARGE the	Rule 17(e) (RC	E) filing fee	e of [] \$7.	50 (lg. ent.) 🗵		. ent.) plus a	anv
deficiency and any other	fee due now or	later to our	Deposit	NOTE: Rule	e 17(e) filing	g fee Cannot I	be deferred!
Account No. 03-3975 un 21/2003 AUDNDAF1 00000103 03397		9848 C #	/ 265122	NO CLAIMS	FEE REQ	UIRED unless	you are
C:2801 375.00 CH	- V71E100V	Cir	M #	cover this w	is by box 2 ith PAT-120	Amendment in	which case
51550 511	Pillsbury V Intellectual						
P.O. Box 10500	By Atty:	John P. I	-		Reg No	11 100	
McLean, VA 22102	Sig:	John 1.	0/ /	,	Reg. No. Fax: (70	44,482 3) 905-2500	
703) 905-2000 Atty/Sec: JPD/JPD	.	//	" Zur		•	3) 905-2045	

NOTE: File this Request (plus enclosures, if any) in duplicate and with PTO receipt (PAT-103A)



In re PATENT APPLICATION of

BECKER et al.

Application No.: 09/424,660

Filed: January 27, 2000

RECEIVED
FEB 2 4 2003
TC 1700

Confirmation No.: 8310

Group Art Unit: 1762 #59/14

Examiner: K. Bareford July 3

2/24/03

For:

METHOD AND DEVICE FOR CONTROLLING

THICKNESS DURING SPIN COATING (AS AMENDED)

February 19, 2003

PRELIMINARY AMENDMENT WITH REQUEST FOR CONTINUED **EXAMINATION UNDER 37 C.F.R. §1.114**

Hon. Commissioner of Patents Trademarks Washington, D.C. 20231

Dear Sir:

In further reply to the Office Action dated October 17, 2002, the period for reply being extended by a Petition for One-Month Extension of time filed herewith (February 17, 2003 being a Federal holiday and the U.S. Patent and Trademark Office having been closed on February 18, 2003 for weather related reasons), prior to examination on the merits of the Request for Continued Examination filed herewith, please further amend the above-identified application as follows:

IN THE CLAIMS:

Please enter amended claim 24 as follows:

24. (Four Times Amended) An apparatus for bonding a first planar substrate to a abstrate by a bonding material in the form of a viscous fluid, comprising: a pump that pumps the viscous fluid; 033975 09424660